#### P30165.A01

## AMENDMENTS TO THE CLAIMS

The claims in this listing will replace all prior versions, and listings, of claims in the application.

### Listing of Claims:

- 1. (Original) An arrangement for increasing the packing density on a printed circuit (1) with surface mounted electrical components (2), with the printed circuit (1) being formed by two films (3x, 3y) which are pressed against one another with a dielectric (4) arranged between them, and with at least one of the mutually opposite faces (3a, 3b) of the films (3x, 3y) being fitted with surface mounted electrical components (2), characterized in that via holes (6b) are provided in the printed circuit (1) in order to connect the two films (3x, 3y), with each via hole (6b) being a direct connection between the mutually opposite faces (3a, 3b) of the films (3x, 3y).
- (Original) The arrangement as claimed in claim 1, characterized in that
  further surface mounted electrical components (2) are arranged on the faces (3c,
  3d) of the films (3x, 3y) which are not mutually opposite.
- (Amended) The arrangement as claimed in one of the preceding claimsclaim1, characterized in that a further layer of a dielectric (4) as well as a further film (3z) are applied to at least one face (3c, 3d) of the printed circuit (1).

#### P30165,A01

- (Amended) The arrangement as claimed in one of the preceding claims claim
   that the films (3x, 3y, 3z) contain copper.
- (Amended) The arrangement as claimed in ene of the preceding claims claim
   characterized in that the printed circuit (1) has first contacts (6a) which are formed on at least one face (3c, 3d) of the printed circuit (1).
- (Amended) The arrangement as claimed in ene of elaime 3.5 claim 3, characterized in that via holes (6c) are formed between the compressed films (3x, 3y) and the further film (3z).
- (Amended) The arrangement as claimed in one-of-the preceding claims claims

   claim
   characterized in that the surface mounted electrical components (2) are resistors, coils or capacitors.
- (Amended) A stack having a plurality of printed circuits (1) as claimed in one-of the preceding claims claim 1 arranged one on top of the other.
- (New) The arrangement as claimed in claim 4, characterized in that via holes (6c) are formed between the compressed films (3x, 3y) and the further film (3z).

# P30165.A01

10 (New) The arrangement as claimed in claim 5, **characterized** in that via holes (6c) are formed between the compressed films (3x, 3y) and the further film (3z).